



PLUS2

- 显示屏分辨率 200 dpi
- 显示屏尺寸 58 mm
- 显示屏重量 55-70gr/mq
- 显示屏直径 Ø 50mm
- 显示屏尺寸 4-7,5 mm (9-48 mm 显示屏 显示屏 显示屏 显示屏)
- 显示屏重量 4 mm 显示屏 显示屏 显示屏 显示屏
- 显示屏重量: RS232/TTL (显示屏 显示屏), miniUSB
- 显示屏重量: 1D 2D (QR CODE)
- 显示屏: 显示屏, 显示屏, 显示屏, 显示屏 (GB18030), 显示屏, 显示屏, 显示屏, 显示屏
- 显示屏: 显示屏 显示屏, 显示屏 显示屏, 显示屏 显示屏 (显示屏)
- 显示屏重量: UL, CE, FCC
- 显示屏重量: 显示屏 显示屏 显示屏 显示屏, 显示屏 -20 °C 显示屏 + 70 °C

??????????????

- ?????????????? ?????????? RGB
- ?????? ?????????? ??????
- ECO MODE
- ?????? ?????????????????? ??? ?????????? ??????????????????



?? ??????? ??? ??????? ?????????? ?????? ?????????? ?? ?????????? ?????? ??? ?????????? ? ?? ?????????????????

????????????

- ?????????? ?????????????????
- ?????????????????? ?????????????????
- ?????????????????? ?????????????, ??? ??? ?????? ?????????
- ?????????? ?????????????????: ?????????????????? ? ?????????????????
- ?????????? ?????????????????
- ?????????????????? ??? ?????????????????
- ?????????????????? ?????????????
- ?????????????????- ?????????????????? ?????????
- ?????????????????? ?????????: ?????????? ??? ?????????????? ??????????, ?????????????????? ? ? ?

?????????? ???????

- RS232/TTL ? miniUSB
- ?????????????????? ????????? (????? ?????????????????? ???????)

????????????

- ??????? ?????????????????? ??????????? (9-48 Vdc)

??? ? ?????????:

- ??????????????, ?????????????

?????????? ????????

????? ??????	??????????
?????????? ?????	8 dots/??
?????????? ?????.?? ? ?????	24, 32, 40, 42
??????????	203 dpi
????????? ?????.?? (?? / ??)	?? 50 ?? / ?? (?? ?????.?? ?????.?? ?????.??)
?????? ?????.??	??????????, ?????.???, ?????.???, ?????.???, ?????.?? (GB18030), ?????.??, ?????.??, ?????.??
?????????????? ????-??	1D, QRCODE
?????? ?????.??	58 ??
?????????? ?????.??	?? 55 ?? 70 g/m ²
????????? ?????.??	Ø 50??
????????	?????????? ?????.??, ?????.?? ?????.??, ?????.?? ?????.?? (??)
????????	?????????? Escape Command, PlusII
??????????	RS232/TTL, miniUSB
????? ?????.??	8kB
????-??????	4 ?? (+768 ?? ?????.??)
?????? RAM	128 ?? ?????.?? + 8 ?? ?????.??
?????????? ?????.??	4 ?? ?????.?? ?? ?????.?? ? ?????.??
????????	Windows® (32/64 ??) — ?????.?? ?? ?????.?? WHQL ? ?????.?? ?????.??; Linux (32/64 ??); ?????????? COM (Linux ?? Windows 32/64 ??); Android™
?????? ?????.?? ?????.?? ?????.??	PrinterTool, CustomPowerTool, Custom Windows API
????????	4-7,5 ?? ?? (9-48 ? ?? ?? ? ?????.?? ?????.??)
???????? ?????.??	+0 - +50
??????????	UL, CE, FCC
????????	56,9(L) x 85(H) x 85(W) ??
???	145??

??????



915CW180400322
PRINTER PLUS2 RX65 USB RS232
TTL



915CW180265333
PRINTER PLUS2 RX65 USB RS232
TTL MOV



915CW100300022
PRINTING MECHANISM PLUS2

Via Berettine, 2 - 43010 Fontevivo PR - ~~XXXXXXXXXXXXXXXXXXXX~~ IT02498250345 - ~~XXXX~~ +39 0521 680111 - ~~XXXXX~~ +39 0521 610701 - ~~XXXXXXXXXXXXXXXXXXXX~~ ~~XXXX~~ 8RQN
~~XXXXXXXXXXXX~~ ~~XX~~ ~~XXXXX~~ ~~XXXXXXXXXXXXXXXXXXXX~~ ~~XXXXXXXXXX~~ ~~XX~~ ~~XXXXXXXXXXXX~~ ~~XXXXXXXXXXXXXXXXXXXX~~ ~~X~~ ~~XXXXXXXXXX~~ ~~XXXXX~~ ~~XXXXXXXXXXXX~~ ~~XXXX~~ ~~XXXXXXXXXXXXXXXXXXXX~~ ~~XXXXXXXXXXXXXXXXXXXX~~
~~XXXXXXXXXXXX~~ ~~XXXXXXXXXXXXXXXXXXXX~~ 30 ~~XXXXXXXXXX~~ 2025