



TK180 METAL





?????????????

- MXXXXX XXXXXX XX 20 XX XX 82,5 XX
- 図図図図図図図 > 200 図図/図
- MMMM(Tear off)
- MXXXXXX 1D M 2D MXXXXX MXXXX IATA: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAM/AZTEC, QRCODE

??????????????

?????????

- XXXXXX XXXXXXX/XXXXXXXX
- MAXIMAN MAXIMAN MAXIMANAN MAXIMAN MAXIMAN MAXIMAN (AEA)





?????????

??? ? ???????:

ullet addination, and an analysis and an a

?????????? ????????

????? ??????	
	8 MMMMMM/MM
	203 🛮 🔻
	/ MMM) MM/ M MMM 203 M/ M
NANNAN NANNANN	PC437, PC850, PC863, PC865, XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
MANANANANANAN MANA	UPC-A, UPC-E, EAN13,EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QRCODE
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MMMMM, 90°, 180°, 270°
NANNA NANNA	MM 20 MM MM 82,5 MM
	MM 70 MM 255 M/M ²
NANANA NANANA	MMMM 270 MMM
NANNA NANNA	80 🖾
XXXXXXX	CUSTOM/POS, SVELTA
XXXXXXXXX	RS232 / USB / ETH
XXXXX XXXXXX	
NNNN-NNNNN	$1 \ \text{MANDAMANAMA} + 8 \ MANDAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAM$
XXXXXX RAM	
	"AMMANAMAMANA" AMMANAMANAMA
	Windows® (32/64 MMM) — MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
MINIMAN MANAMANANANAN SERIANAN	
MANANA	24 🛮 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷 🗷
C XXXXXX XXXXXXXXXXX	1,5A (12,5% MMMMMMM)
MANAMAN MANAMANANANAN -10°C + 60°C ±10%	
NANANAN	122.6 (L) x 85 (H) x 145.6 (W) ፟፟፟፟
	2.2 🖾



??????







911HL050100733

911HL010100733 PRINTER TK180 METAL ETH USB RS232

911HL011200733 PRINTER TK180 METAL ETH USB RS232 CUTTER