



TK302III

XXXXXXX XXXXXXX









?????????????

- XXXXXXX XXXXXX XX 200 XX / X
- XXXXXX XXXXXXXX XXXXXX XX 20 XX 82,5 XX
- MMMMMMM (MMMMMMM) MMMMM: MM 80 MM 255 M / M^2

??????????????

- MMMMMM MMMMMM 1D M2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX
 CODE



?? ???????

- MANNA MANNANAN MANNAN MANNANAN MANNAN




?????????? ????????

????? ??????	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	8 dots / 🖾
XXXXXXXXX	203 dpi
	200 🖾 🗓 🖾 🖾
	PC437, PC850, PC860, PC863, PC865, PC858
AXXXX XXXXXX	
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	MMMMMMMMMM90°, 180°, 270°
XXXXXX XXXXXX	MM 20 MM MM 82.5 MM (MMM 2 MM)
XXXXXXXXX XXXXXX	⊠⊠ 80 ⊠⊠ 255 ⊠/ ⊠²
	CUSTOM/POS - SVELTA
XXXXXXXXXX	RS232 / USB / Ethernet
	64 KB
NNN-NNNNN	16 MB
AXXXXXXXXXX XXXXXX	МИМИМИМИ МИМИМИМИ МИМИМИМИМИМИМИМИМИМИМ
	Windows® (32/64 ⊠XXX) — XXXXXXXX XXX XXXXX WHQL XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
MINIMINIA MINIMINIMINIA MINIMINIA MINIMINIMINIA MINIMINIA MINIMINIA MINIMINIA MINIMINIA MINIMINIA MINIMINIMINIA MINIMINIA MINIMINIA MINIMINIA MINIMINIA MINIMINIA MINIMINIMINIA MINIMINIMINIA MINIMINIMINIA MINIMINIMINIMINIA MINIMINIMINIMINIMINIMINIMINIMINIMINIMIN	
XXXXXX	220 Vdc ± 10%
C XIXIXXX XIXIXXXXIXXX	0.8A (12,5% MMMMMM MMMMM)
XXXXXX XXXXXXXXXXXXXX	
	252,1 (L) x 192,6 (H) x 216 (W) ፟፟፟፟
	4 🖾

??????





PRINTER TK302III ETH USB RS232 PRINTER TK302III ETH USB RS232



911BB070900713

BCR

