



KM216HIII

A4

- 200 300DPI
- A4 210/216mm
- 63 85mm
- > 180mm/
- RS232+USB COM +
- UPC-A UPC-E EAN13 EAN8 CODE39 ITF CODABAR CODE93 CODE128 CODE32
- 300,000
- 270x180x90mm
-



??

- 100%
- 300,000
- 270x180x90mm
- /
-

??

- Kiosk
- Kiosk
- Kiosk
- Kiosk
-

??
???????

????	
????	
	8 /
	203 dpi
/	180 / ()
	PC437, PC850. PC860. PC863, PC865,
	1 8
	, 90°, 180°, 270°
	210mm / 216 mm A4" –
	58 78 / ²
	63 85
	180
	CUSTOM/POS
	RS232+USB+
	19 KB
	2MB SPI 8MB
RAM	128Kbytes
	5 1600 x 327
	Windows® 32/64 — WHQL
	Linux 32/64
	COM Linux Windows 32/64
	™,
	iOS
	PrinterSet, CustomPowerTool, Status Monitor, Custom Windows API
	24 Vdc ± 10%
	3.1 A (12,5%)
MTBF	200.000 ()
	100 / 100M
MCBF	300.000
	0°C + 50°C
	270 x 180 x 90
	4.8

??



915AS060100700
PRINTER KM216HIII ETH USB
RS232 EJECTOR

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - - 8RQN7AZ

23 2026