




KPM150HIII

OEM

- 200 dpi
- 20 54
- 80 180 / 2
- > 180 /
- RS232 USB COM
- : 1.000.000
- 1D 2D :
- UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QRCODE
- True Font
- 3 /



??

- 266 MHz

??

-

????????


-

????

????

	8	/	
	203	dpi	
/	>180	/	
	PC437, PC850, PC860, PC863, PC865,		
	,	1 2	,
	,	90°, 180°, 270°	
	20	54	
	80	180	/ ²
	200		
	CUSTOM/POS, SVELTA		
	RS232 + USB		
	64	KB	
	18	MB	
	2	MB	
SD/MMC	=	2	GB
	Windows® 32/64	---	WHQL
	Linux 32/64		
	COM Linux	Windows 32/64	
	TM		
	iOS		
	,	PrinterSet, CustomPowerTool, Custom Windows API	
	24	Vdc ± 10%	
	100	Vac	24o Vac
	0.8A	(12,5%	)
	150	/	100M
	100		
	-10°C	+ 60°C	
	171	x 122	x 114
	194	x 122	x 114 /
	194	x 122	x 114 /
	1,85		
	1.9	/	
	1.95	/	

??



915FB030100300
PRINTER KPM150HIII USB RS232

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - - 8RQN7AZ

18 2026