



**TK302III**

TK302III



TK302III



??

- 
- 200 /
- 20 82.5
- : 80 255 / <sup>2</sup>
- 2
- 1.5
- 32 bit 266 MHz
- 32 MB 32 MB
- SD 2 GB
- SW COM/USB

???

- 1D 2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- RS232 + USB +
- :
- 2G SD 8Mb USB , True Font
- ;



???

- -
-

????

????

8 dots/
203 dpi
/ 200 /
PC437, PC850. PC860. PC863, PC865, PC858
1 8
, 90°, 180°, 270°
20 a 82.5 (2 )
80 255 / <sup>2</sup>
CUSTOM/POS - SVELTA
RS232 / USB /
64 KB
16 MB
( 2MB )
Windows® 32/64 --- WHQL
Linux 32/64
COM Linux Windows 32/64
OPOS;
™
iOS
PrinterSet, CustomPowerTool, Status Monitor, EasyMyfare, EthLocator
220 Vac ± 10%
0.8A (12,5% )
100 /100M
MCBF 1.500.000
252,1 (L) x 192,6 (H) x 216 (W)
4

??



**911BB070100713**

PRINTER TK302III ETH USB RS232

**911BB070900713**

PRINTER TK302III ETH USB RS232

BCR

Via Berettine, 2 - 43010 Fontevivo PR -

IT02498250345 -

+39 0521 680111 -

+39 0521 610701 -

8RQN7AZ

14 2025