



VKP80III

KIOSK

VKP80III

KIOSK

70

kiosk



??



???????

- 55g/m2 85%
 - -20/+70°C

 - 250mm
-

????

????

	8 /
	203 dpi /
/	>250 /
	PC437, PC850. PC860. PC863, PC865, PC858
	1 8
	, 90°, 180°, 270°
	50 82.5
	55 110 / ²
	150 250mm
	CUSTOM/POS
	RS232 + USB ETH + USB
	16 KB / 1MB
	5 MB (1MB)
	Windows® 32/64 --- WHQL Linux 32/64 COM Linux Windows 32/64 OPOS; ™ iOS
	PrinterSet, CustomPowerTool, Status Monitor, Custom Windows API
	24 Vdc±10%
	1A (12,5%)
MTBF	450.000 ()
	200 / 100 MI
MCBF	1.000.000
	-20°C + 70°C
	143,5(L) x 76,4(H) x 116(W)
	0.8

??



915DX010100J00
PRINTER VKP80III ETH USB SIDE
CONNECTORS



915DX011700300
PRINTER VKP80III USB RS232
REAR CONNECTORS



915DX011900300
PRINTER VKP80III USB RS232 SIDE
CONNECTORS

Via Berettine, 2 - 43010 Fontevivo PR -

IT02498250345 -

+39 0521 680111 -

+39 0521 610701 -

8RQN7AZ

14 2025